

REVIEW ARTICLE

Technological Intervention in Waste-Water Treatment by Using Nanomaterials

Sumit Kumar^{1*}, R.K. Srivastva², Rajkumar Pandey², Roshan Jadhav¹, Anil Kumar¹

¹Department Of Molecular Biology & Genetic Engineering, College Of Basic Sciences And Humanities, G.B.Pant University Of Agriculture And Technology, Pantnagar, Uttarakhand, 263145 (India).

²Department of Environmental Science, College Of Basic Sciences And Humanities, G.B.Pant University Of Agriculture And Technology Pantnagar, Uttarakhand, 263145 (India)

Corresponding Author's E-Mail: sumitkumar4130@gmail.com

ABSTRACT

According to the United Nations the amount of wastewater generated every year is around 1,500 km³, which is six times more water than exists in every one of the streams of the world (UN WWAP 2003) Among the most recent couple of decades there is developing enthusiasm for the utilization of nanoparticles in water and wastewater treatment innovation, due to their particular physiochemical attributes such as required hydrophobicity, polarity, volume, molecular weight, etc. Besides this, the exceptional utilization of nanoparticles in wastewater treatment plants give significant measure of nanoparticles for example, TiO₂, ZnO, N₂O, Prior, CuO, SiO₂, Al₂O₃ and CeO₂ in the water streams. Harmful impacts of nanoparticles on auxiliary and physiological action of different microbial activities such as nitrification, denitrification, phosphorus solubilisation, etc., were also observed. The present article illustrates the possible open portals in regards to the connection of nanoparticles with the natural and artificial frameworks with main emphasis on artificial nano particles that can be utilised for water/wastewater treatment as well as biofouling removal. Moreover, study on nano science has also been taken into account for improvement of nanosensors for bio monitoring of water.

Keywords: Waste Water Treatment, Nanoparticles, Water, Biofouling.

Received 15.04.2017 Accepted 25.07.2017

© 2017 AEELS, INDIA

INTRODUCTION

Water infect is one of the significant issues which the world is confronting today. Water pollution not just impact condition and human welfare, yet it has additionally impacts on financial and social expenses. There are different ways that utilized economically and non-monetarily to battle this issue which is propelling step by step because of mechanical advances. Nanotechnology has likewise turned out to be one of the finest which can be a possible way for waste water treatment [1,2]. There are different purposes for the development of nanotechnology and researchers are still taking a shot at further upgrade of its utilization for water treatment purposes. There are different something advances lies on particular nanomaterials. Especially, nanostructured synergist layers, nanosorbents, nanocatalysts, bioactive nanoparticles, biomimetic layer and molecularly engraved polymers (MIPs) used for evacuating dangerous metal particles, infection causing microorganisms, natural and inorganic solutes from water [3]. Water is the most fundamental substance in our life. Dependable and economical access to ultra-clean, protected and reasonable water is thought to be a standout amongst the most basics for human need. Although, clean drinking water is very necessary, but according to the report of [4]. There is a great scarcity of clean drinking water present in the world, roughly, one-6th of the world's population involvement in access to clean drinking water. Furthermore, overpopulation, constrained water strength, contamination and absence of water observance are considered as the most widely recognized challenges tackle human needs in these days [5]. Subsequently, a dire need is required to build up a creative innovation to give perfect and reasonable water to meet human needs. In the way of the most recent couple of decades, nanotechnology is rising as a quickly developing part of information based economy because of exceptional physiochemical properties of nonmaterial. [6] .This innovation picked up a immense force because of its capacity of reformulating the molecule of metals into new nano-sized shape, with measurement not exactly 100 nm in size. Subsequently, it is utilized as a part of fabricate of an extensive variety of items and in wastewater treatment [1, 2]. Because of surprising use of nanoparticles,

wastewater treatment plants got extensive measure of nanoparticles, for example, TiO₂, ZnO, N₂O, AgO, CuO, SiO₂, Al₂O₃ and CeO₂, with potential hazard to human and condition [7,8]. As of late, execution of nanotechnology in wastewater treatment empowered elite, sensible water also, wastewater treatment arrangements that less depends on huge foundations [3] Extensive variety of nonmaterial's tried as to of regarding resistance biofouling, elimination of , end of dangerous metals, natural and inorganic poisons, pathogen discovery as well as disinfection [3,9,10]. From monetary point of view, nanotechnology considers usage of the most complicated water benefit and energy protection. [11]. In This review outlines the helpful opportunities concerning applications of nanoparticles in biofouling avoidance, disinfection and as sensors for pathogen. (**Table 1**). An overview advances to talk about the real collaboration of nanoparticles with organic frameworks in water and wastewater treatment is given. Danger impact of nanoparticles on structural and physiological movement of microbial groups and in addition nitrification, denitrification and phosphorus evacuation is fundamentally established. Thus the study of waste water treatment with the help of nanoparticle is designed to evaluate the positive facts. [12, 13].

WASTEWATER TREATMENT USING NANO-MATERIALS

Presently a-days the water treatment turned into the most stressed theme everywhere throughout the world. Increment in the populace and industrialization coming about into the contaminate of the water (store and ground water). In this way it is important to refine and reuse the mechanical and additionally the city waste water. Nano-organized materials, for example, attractive nanoparticle, carbon Nanotubes, silver-saturate cyclodextrin Nano-composites, Nano organized iron zeolite, carbon-cluster nanoparticles, photocatalytic titania nanoparticles, nanofiltration films and functionalized silica nanoparticles can be utilized in water treatment to remove overwhelming metals, residue, mixture sewages, charged particles, microbes and different pathogen [14,15].

Thus from a decade ago the utilization of nanoparticles for water treatment has picked up the uncommon consideration because of their properties such as high surface area, good **adsorbent ability** and **filtration property**. Use of magnetic nanoparticles (MNPs) as adsorbents in water treatment provides a convenient approach for separating and removing the contaminants by magnetic nanoparticles. In this way the MNPs are likewise being utilized for the evacuation of the harmful substantial metals/components like cations, characteristic natural matter, organic contaminants, and natural toxins, Nitrates, Fluoride and Arsenic from the waste water. [16].

NANOPARTICLE: USES IN REMOVAL OF WATER RELATED PROBLEMS

Following description is given to understand the basic uses of nanoparticles used for waste water treatment purposes [17].

THIN FILM NANO COMPOSITE MEMBRANES (TFN)

Thin-film composite layers (TFC) are semi permeable layers fabricated basically for use in water decontamination or water desalination frameworks. Thin-film-composite (TFC) layers are accepting the expanded consideration for a assortment of uses in water desalination, ultrapure water production, waste water treatment, and so on. But, a significant impediment to additionally use in industrial operations is flux decline approaching about because of fouling. [18, 19] Development in proficiency of thin film Nano composite membrane (TFN) accomplished by the utilization of nano-zeolites for upgrade of film porousness. [18] Used nanozeolite with the TFN membrane that's why the salt rejection capacity more increased from 80% to 93.3%. Moreover, [19] detailed that TFC consolidated with 250 nm nano-zeolites (0.2% wt), upgraded porousness and salt rejection up to 80%. Curiously, nano-zeolites utilized as bearers for antimicrobial operators for example, AgNP's, which consolidate antifouling property to the layer [20]. In addition, [21] reported that consolidation of nano-TiO₂ into the TFC layer marginally expanded dismissal of salts. Beside the diminishment of organic contaminants, organic fouling and inactivation of microorganisms also accomplished by photocatalytic action of TiO₂ upon UV irradiation [22]. Be that as it may, layer material may occurrence negative impacts because of long haul appearance [23]. Moreover carbon Nanotubes (CNTs) are also in use waste water treatment. A carbon Nanotubes is a tube-form material, made of carbon, having a thickness measuring on the nanometer scale connected in TFN layers due to their antimicrobial movements [24]. Also, TiO₂ Nanotubes showed great usefulness in deterioration of organic compounds. [25].

DISINFECTION

It is all around perceived that conventional water cleaning strategies may prompt hostile impact. Chlorination and ozone may prompt era of dangerous or mutagenic by-object, subsequently increment danger of disease [26] Then again, germicidal action of bright (UV) illumination relies on upon the aggregate suspended solids that may decrease the movement of UV light [27] In this way, dynamic increment in examine about stage on improvement of a fresh water cleaning technique to overcome

limitation experienced by different innovation [3 28] Use of nanoparticles, for example, nano-Ag as coated on composite, nano-ZnO removes impurities and absorbed ions, nano-TiO₂ and carbon Nanotubes possibly utilized as a part of purification of water and wastewater [15,29,30 31] The nanoparticles were effectively utilized as antimicrobial specialist in wastewater treatment, ideally with UV cleaning to enhance water quality [32].

BIOFOULING RESISTANCE (NANOCOMPOSITE LAYERS)

Among significant difficulties of layer transformation in wastewater treatment is the layer biofouling and infection infiltration [33] As of late, consolidation of practical nanomaterials into ultrafiltration layer frameworks permit for development of layer properties particularly; mechanical and warm solidness [34,35]. Film porousness and fouling resistance through expanding layer hydrophobicity. Nanoparticles utilized for this reasons for existing are; Al₂O₃, TiO₂, zeolite, nano-Ag, CNTs, bi-metallic nanoparticles and TiO₂ [36, 37 38] For example; fuse of silver nanoparticles into polymeric layers flock to obstacle of bacterial development, [39, 40, 41] Carbon Nanotubes CNTs application of in inactivation of bacteria was reported. [42,43] recorded that more than 90% of microscopic organisms inactivated by utilizing polyvinyl-N-carbazole (SWNT) single walled carbon nano-tube that can be conceptualized by wrapping a one-particle thick layer of graphene into a seamless cylinder Nanocomposite at 3 wt% of SWNT [44] In expansion, hydrophobicity and accuracy of the polysulfone layers were expanded by expansion of oxidized multi walled carbon Nanotubes (MWNT) comprises of at least two quantities of moved up concentric layers of graphene in an exceptionally low sum [45] On the other hand, films consolidated with photocatalytic nanoparticles (TiO₂ nanoparticles) were produced to degrade a few contaminants [46, 47] Biofouling is a basic issue in layer water and wastewater treatment as it enormously bargains the productivity of the treatment forms [47,48].

ACTIVITY OF ANTIMICROBIAL

Antimicrobial action of numerous nano-sized metal particles (nanoparticles) takes into consideration for plan of nanocatalysts, for example, AgCCA movement, N-doped TiO₂ and ZrO₂. The high effectiveness of nanoparticles prompted expulsion of microbial contaminants from wastewater [49]. Antibacterial movement is identified with exacerbates that locally eliminate microorganisms or back off their development, without being in general dangerous to around tissue. [50].

In fact, photocatalytic action of Pd fused ZnO nanoparticle takes into consideration expulsion of *E. coli* from wastewater [51] In another approach, palladium nanoparticles (PdNPs) utilized as impetus for in situ bioremediation and decrease of very poisonous Cr (VI) to less dangerous Cr (III) particles [52] Strangely, the reactivity of impetus can be improved by mix with nanosorbents i.e. consolidating sorption and debasement of contaminants in wastewater. The conceivable use of nanomaterials counting; nano-Ag, nano-ZnO, nano-TiO₂, nano-Ce₂O₄, and CNTs in cleansing and pathogens control, with clear clarification for the component, constraints and application in wastewater treatment, has already reconsidered by [15] and refreshed by [3] Obviously, the uncommon impact of nanoparticles on microbial cells run from potential harm to proteins, cell film, concealment of DNA replication, era of dangerous responsive oxygen species and inactivation of proteins [2,53,54]. The significant part of nanomaterials amid wastewater treatment transfers on their antimicrobial activity during disinfection, layer biofouling control, and additionally control of bio film development on different surfaces. [55] Detailed the conceivable utilization of Ag-nanoparticles for sterilization and against waterborne pathogens by fuse into stoneware micro filters [56].Extremely instrument in light of Ag-nanoparticles are officially accessible e.g. Aquapure frameworks. In reality, novel antimicrobial CNT channel intended for evacuation of microorganisms and infections [42] Supposed microorganisms are inactivated by CNTs within hours. In any case, utilization of little voltage can definitely decrease the time few moments [57] .Advantageous important of nanomaterials as antimicrobial agent enable for their included into spare tanks and supply pipes surfaces to stop bio film formation, microbial contamination and corrosion [3, 58, 59].

SENSING AND MONITORING OF MICROORGANISM IN WATER

The sensor checks individual suspended particles and characterizes them as either microscopic organisms or abiotic particles. Due to shocking significance to observe exclusively location of pathogenic microorganisms, there is crucial requirement for creative sensors [60] These sensors ought to meet high caliber standard including; high sensitivity, selectivity, fidelity, usability and fast reaction in contaminant location. Progresses in nanotechnology are having a critical effect on the field of diagnostics furthermore, bimolecular recognition (**Table 1**) [61] Remarkably, new combination and design of nanomolecules conceivable modify their reliable affinities for different bio molecules through surface modification [62] A microbial biosensor is a analytical device that couples microorganisms with a transducer to allow fast, precise and delicate identification of target analytes in fields as as medicine, environmental monitoring, defens, etc. [56] Thus, both private and public sectors are strongly trending towards online monitoring

using a biosensor that can detect pathogens rapidly and precisely. The assessment of microbial water quality in drinking water is important to protect purchasers from water-borne or water-based sicknesses caused by pathogens, for example, microscopic organisms, infections, and protozoa. Subsequently, most water utilities have created quality administration and on-line checking frameworks as a result of i) lower costs; ii) constant observing (not require lab estimations); and iii) late security worries against bioterrorism [63].

PATHOGEN RECOGNITION:

Meanwhile, a large portion of regular marker frameworks are sufficiently disagreeable concerning of numerous human pathogens in drinking water [64] it may be, the advancement of pathogen sensors could be a conceivable arrangement. Progresses in sensors innovation in light of nanomaterial concentrated on the advancement of sensitive and quick responsive acknowledgment components and colours transducer because of their remarkable physiochemical qualities [65] As of late, nanosensors produced for discovery of entire cells and bio molecules [64,65] Nanomaterials, for example, attractive nanoparticles, CNTs, honourable metals, Quantum specks (QDs) and color doped nanoparticles utilized as a part of pathogen detection [66,67,68] These days, CNTs increase colossal consideration in outline of terminals because of simplicity electrochemical discovery through advancement of electron exchange, cooperations what's more, high adsorption limit [69]. CNTs connected as a solitary nanotube anode, or joined into anodes by means of arbitrary or adjusted covering or utilized as a part of nanoscale [70, 71] tragically, heterogeneity and nonspecific restricting are the real difficulties for utilization of CNTs nanosensors in water and wastewater Treatment.

Table-1.NANOTECHNOLOGICAL PROCESS FOR TREATMENT OF WASTE WATER PROBLEM

process	Nonmaterial	properties	Application
1.Biofouling resistance and cleansing	Nano-zeolite	Subatomic sifter higher hydrophilicity	Nanocomposite films
	Carbon Nanotubes	Antimicrobial movement high mechanical and synthetic action, expansive Surface range	Antibiofouling layers and water cleansing
	Nano-TiO ₂	usability Photocatalytic movement, low human harmfulness, strength, easy	Responsive films and Nanocomposite films
	Nano-Ag	Wide-range antimicrobial movement, low harmfulness to human, straightforwardness to utilize	photocatalytic reactors disinfection frameworks water disinfection antibiofouling surface
2. Detecting and Monitoring on	Quantum spots (QDs) also, color doped nanoparticles Metal nanoparticles	Wide-adsorption range Higher conductivity	Optical pathogen recognition Optical.
	Carbon Nanotubes	Higher surface region,	Electrochemical,pathogenlocation

This Table adopted from [3, 72]

ADVANTAGES OF WATER TREATMENT NANOFILTRATION

- Lower working expenses,
- Lower vitality costs,
- Lower release and less wastewater than switch osmosis,
- Reduction of aggregate disintegrated solids (TDS) substance of marginally bitter water,
- Reduction of pesticides and VOCs (natural chemicals),
- Reduction of substantial metals,
- Reductions of nitrates and sulphates,

- Reduction shading, tannins, and turbidity,
- Hard water softening,
- Being without substance (i.e., does not utilize salts or chemicals).All Advantages [95]

DIFFERENT TYPES OF NANOPARTICLE USED IN WASTE WATER TREATMENT

ZERO-VALENT METAL NANOPARTICLES

TiO₂ NANOPARTICLES

As a rising and promising innovation, photo catalytic degradation has pulled in extraordinary consideration since 1972 when [73] watched electrochemical photolysis of water on TiO₂ semiconductor anode. As of late, photo catalytic corruption innovation has been effectively connected in the contaminant corruption in water and wastewater. At the nearness of light and impetus, contaminants can be bit by bit oxidized into low sub-atomic weight middle of the way items furthermore, in the long run changed into CO₂, H₂O, and anions such as NO₃⁻, PO₄³⁻ and Cl⁻.

ZNO NANOPARTICLES.

In the field of photocatalysis, separated from TiO₂ NPs, ZnO NPs have developed as another effective competitor in water and wastewater treatment in light of their extraordinary attributes, for example, immediate and wide band crevice in the close UV shadow area, solid oxidation capacity, and great photocatalytic property [74].

SILVER NANOPARTICLES.

Silver nanoparticles (Ag NPs) are very lethal to microorganisms and in this manner have solid antibacterial impacts against an extensive variety of microorganisms, including infections [60] microbes [75] and organisms [76] as a decent antimicrobial operator, silver nanoparticles have been broadly utilized for the cleaning of waste water.

HARMFUL EFFECTS OF NANOPARTICLES (TOXICITY)

Because of enormous utilization of nanoparticles, wastewater treatment plants (WWTPs) in view of validate sludge treatment handle gotten impressive measure of NPs as TiO₂, ZnO, N₂OAgO, CuO, SiO₂, Al₂O₃ and CeO₂ [77,78].




FIG-1. DIAGRAM OF WASTE WATER CTIVATED SLUDGE TREATMENT PLANT[79].

First of all in STTP or WTP plant use ZnO nanoparticle taken and also water or deionised water is taken and this mixture is pass in aeration chamber through the pipe and, air provide in mixture then this mixture pass is settling vessel, sludge sample is recycle through sludge recycle and then we can collect the mixture which we collect in the second tank, thus we get pure water from the help of WWTP plant [80, 81]. Conceivable expulsion of NPs from initiated slime in wastewater treatment by means of adsorption, aggregation and settling procedures was reported [78,82] For instance, huge use of nanoparticles (e.g. AgNPs) prompted ceaseless discharge to continuous release to wastewater treatment offices [83,84]. It is assessed that the concentration of AgNPs in effluent and mud sample WWTPs are 0.021 mg/L and 1.55 mg/kg, one by one [85] The anticipated gushing aggregate silver fixations in wastewater treatment extend from 2 to 18 mg/L [84] This esteem can be expanded to 105 mg/L if there should arise an occurrence of modern releases [86] Release may prompts diminish in the viability of natural wastewater treatment handle due to danger measures. As of late, [87] detailed that the majority of NPs discharged into nature held in organic wastewater treatment frameworks. Besides, across the board use of silver nanoparticles as

antimicrobial operator might help in pollution of oceanic environments. [88] Recorded that bacterial development and extracellular basic phosphatase were essentially decreased in nine Ag NP-uncovered specimens following 60 minutes. After 48 h, bacterial development was recuperated by 40 to 250% at low AgNP focuses. Conversely, expansion of AgNO₃ (from 0.01 to 2mg Ag/L) led to finish block of bacterial development over the 48h introduction. Significant impact of silica-based nanoparticles (e.g. SiO₂ NPs) on organic evacuation of nitrogen and phosphorus was talked about [77] As uncovered by DGGE and qPCR measures, the structure of microbial group was fundamentally changed. Denitrifying protein exercises was diminished because of unending presentation of initiated slop to 50 mg/L of SiO₂ NPs nanoparticles, while phosphorus evacuation was not influenced [6,77] showed that the long term presentation of slop maturation framework to higher centralization of TiO₂ NPs, apply minor impact on microorganisms and methanogenic archaea, most likely due to exopolymers. In any case, the microbial exercises and also methane creation were not influenced. In another approach, no huge distinction in actuated slop microbial group was distinguished after long haul presentation of layer bioreactor (MBR) procedure to higher convergence of silver nanoparticles (0.010 mg Ag/L) [89] In spite of the fact that, nitrifying bacterial group and film fouling rate were not changed though, the extracellular polymeric substances (EPS) essentially expanded after each nanosilver dosing. [89, 18] Uncovered that the impact of designed nanoparticles ENPs on microbial group of WWTPs depends on a few components e.g. sort, measure, surface range, pH, temperature, synthesis of natural matter. [90] To delineate the potential hazard of nanoparticles released into the condition, the effect of Ag NPs on the development of *P. aeruginosa* in nearness of humic corrosive material was examined [91] It was recorded that the humic material brought about a halfway disaggregation of Ag NP totals by nanoscale film development. In addition, disintegrated Ag decreased bacterial development at 19 M under various natural conditions. The short-and the long haul harmful impact of alumina nanoparticles (Al₂O₃ NP) on wastewater bacterial group (particularly for nitrogen and phosphorus evacuation) were examined by [80] these nanoparticles adsorbed on the initiated slime flocs, without influencing its trustworthiness and feasibility. In any case, nitrification, denitrification and P expulsion were marginally impacted amid here and now presentation to 1 and 50 mg/L of Al₂O₃ NPs. In any case, long haul exposure to 50 mg/L Al₂O₃ NPs diminish the denitrifying compound exercises or denitrification process and aggregate nitrogen expulsion from 80.4% to 62.5%, in spite of the fact that P evacuation and PHAs and in addition glycogen were not influenced. For real appraisal of nanoparticles poisonous quality, a recreation study was completed by [93] in this review, Cu NPs were added to influent before anaerobic treatment of wastewater for creation of unstable fatty acid. [93]

CONCLUSION

It is perceived that nanotechnology and their applications play an essential part in resolve issues relating to water deficiency and water quality. Due to bigger surface zones and size-subordinate synergist properties of nanomaterials, extensive endeavors are being done to investigate their application particularly in wastewater treatment. Also, nanomaterials can be ligand to various compound gatherings to expand fondness, recyclability, high limit and selectivity. Albeit much consideration concentrated on the improvement and potential advantages of nanomaterials in water and wastewater treatment forms, concerns raised with respect to potential human an ecological poisonous quality. By and large, a regular structure for hazard look into, hazard evaluation, and hazard administration are still lacking. By the by, improvement of novel nanomaterials will assume a key part in insure adequate and great quality water to take care of the perpetually expanding demand for drinking water. Then again, the high accessibility, ease and high wide antimicrobial action of numerous nanoparticles makes them appealing in water purging. For sure, because of disaster of numerous waterborne infections and constrained safe water assets, there is an incredible interest for change of water filtration framework. Nanofibers and nanobiocides can be valuable answer for guarantee protects and simple get to drinking water. Because of departed advances in nanotechnology, up and coming era of analytic techniques for pathogen recognition is creating. Be that as it may, some specialized and down to earth issues should be settled before potential acknowledgment. This incorporates tight control over amalgamation and functionalization.

REFERENCES

1. Bora, T and Dutta, J, (2014).Applications of nanotechnology in wastewater treatment--a review.JNanosciNanotechnol., 14(1):613-26
2. Wang, Y, Xue, X, and Yang, H. (2014). Synthesis and antimicrobial activity of boron-doped titanianano-materials, Chinese Journal of Chemical Engineering 22(4): 474 479.
3. Qu, X, Alvarez P. J. J, and Li Q. (2013).Applications of nanotechnology in water and wastewater treatment. Water Research 47: 3931-3946.

4. World Health Organization (W.H.O.), (2004). Meeting the MDG drinking water and sanitation target: A mid-term assessment of progress. Geneva: WHO.
5. Guzman, K.A.D, Taylor, M.R, and Banfield, J.F. (2006). Environmental risks of nanotechnology: National Nanotechnology initiative funding, 2000-2004. *Environmental Science and Technology* 40(5): 1401-1407.
6. Klaine, S.J, Alvarez, P.J.J, Batley, G.E, Fernandes, T.F, Handy, R.D, Lyon, D.Y., Mahendra, S., McLaughlin, M.J., and Lead, J.R. (2008). Nanomaterials in the environment: behavior, fate, bioavailability, and effects. *Environmental Toxicology and Chemistry* 27(9): 1825-1851.
7. Brar, S.K, Verma, M, Tyagi, R.D, and Surampalli, R.Y. (2010). Engineered nanoparticles in wastewater and wastewater sludge: evidence and impacts. *Waste Manag.* 30(3): 504- 520.
8. Nel, A, Xia, T, Madler, L, and Li N. (2006). Toxic potential of materials at the nanolevel. *Science* 311 (5761): 622-627.
9. Amin, M. T, Alazba, A. A, and Manzoor, U. (2014). A Review of Removal of Pollutants from Water/Wastewater Using Different Types of Nanomaterials. *Advances in Materials Science and Engineering*, Article ID 825910, 1-24.
10. Prachi, Gautam P, Madathil D, and Nair A. N. B. (2013). Nanotechnology in Waste Water Treatment: A Review. *5(5): 2303-2308*
11. Crane, R. A and Scott T. B. (2012). Nanoscale zero-valent iron: Future prospects for an emerging water treatment technology. *Journal of Hazardous Materials* 211-212: 112- 125.
12. Richards, H. L, Baker, P. G. L, and Iwuoha, E. (2012). Metal Nanoparticle Modified Polysulfone Membranes for Use in Wastewater Treatment: A Critical Review. *Journal of Surface Engineered Materials and Advanced Technology* 2: 183-193.
13. Tiwari D. K, Behari J, and Sen P. (2008). Application of Nanoparticles in Waste Water Treatment. *World Applied Sciences Journal* 3(3): 417- 433.
14. Xiu, Z.M, Ma, J, and Alvarez, P.J. J. (2011). Differential effect of common ligands and molecular oxygen on antimicrobial activity of silver nanoparticles versus silver ions. *Environmental Science and Technology* 45(20): 9003-9008.
15. Li, Q, Mahendra, S, Lyon, D. Y, Brunet, L, Liga, M. V., Li, D. and Alvarez, P. J. (2008). Antimicrobial nanomaterials for water disinfection and microbial control: Potential applications and implications. *Water Resources* 42: 4591-4602.
16. Lunge SS, Singh S, Sinha A (2014). International Conference on Chemical, Civil and Environmental Engineering (CCEE'2014), Magnetic Nanoparticle: Synthesis and Environmental Applications, Singapore.
17. Patil SS, Adetutu EM, Rochow J, Mitchell JG, Ball AS. Sustainable remediation: electrochemically assisted microbial dechlorination of tetrachloroethene-contaminated groundwater. *Microb Biotechnol.* 2014;7(1):54-63. doi: 10.1111/1751-7915.12089.
18. Sun, X, Sheng, Z, and Liu, Y. (2013). Effects of silver nanoparticles on microbial community structure in activated sludge. *Science of the Total Environment* 443: 828-835.
19. D.E. Potts, R.C. Ahlert, S.S. Wang, A critical review of fouling of reverse osmosis membranes, *Desalination* 36 (1981) 235.
20. Jeong, B.H, Hoek, E.M.V, Yan, Y.S, Subramani, A., Huang, X.F., Hurwitz, G., Ghosh, A.K., and Jawor, A. (2007). Interfacial polymerization of thin film nanocomposites: a new concept for reverse osmosis membranes. *Journal of Membrane Science* 294(1-2): 1-7.
21. Lind, M.L, Suk, D.E, Nguyen, T.V, and Hoek, E.M.V. (2010). Tailoring the structure of thin film nanocomposite membranes to achieve seawater RO membrane performance. *Environmental Science and Technology* 44(21): 8230-8235.
22. Lind, M.L, Jeong, B.H, Subramani, A, Huang, X.F, and Hoek, E.M. V. (2009). Effect of mobile cation on zeolite-polyamide thin film nanocomposite membranes. *Journal of Materials Research* 24(5): 1624-1631.
23. Lee, H.S, Im, S.J, Kim, J.H, Kim, H.J., Kim, J.P, and Min, B.R. (2008). Polyamide thin-film nanofiltration membranes containing TiO₂ nanoparticles. *Desalination* 219(1- 3): 48-56.
24. Chong, M.N, Jin, B, Chow, C.W.K, and Saint, C. (2010). Recent developments in photocatalytic water treatment technology: a review. *Water Research* 44(10): 2997-3027.
25. Jain, P.K, Lee, K.S, El-Sayed, I.H, and El- Sayed, M.A. (2006). Calculated absorption and scattering properties of gold nanoparticles of different size, shape, and composition: applications in biological imaging and biomedicine. *Journal of Physical Chemistry B* 110(14): 7238-7248.
26. Tiraferri, A, Vecitis, C.D, and Elimelech, M. (2011). Covalent binding of single-walled carbon nanotubes to polyamide membranes for antimicrobial surface properties. *ACS Applied Materials and Interfaces* 3(8): 2869-2877.
27. Macak, J.M, Zlamal, M, Krysa, J, and Schmuki, P. 2007. Selforganized TiO₂ nanotube layers as highly efficient photocatalysts. *Small* 3 (2): 300-304.
28. Monarca, S, Zani, C, Richardson, S. D., Thruston Jr, A. D., Moretti, M., Feretti, D., and Villarini, M. (2004). A new approach to evaluating the toxicity and genotoxicity of disinfected drinking water. *Water Resources* 38: 3809-3819.
29. Chang, J. C, Ossoff, S. F, Lobe, D. C, Dorfman, M. H., Dumais, C. M., Qualls, R. G., and Johnson, J. D. (1985). UV inactivation of pathogenic and indicator microorganisms. *Applied and Environmental Microbiology* 49: 1361-1365.
30. Vahabi, K, Mansoori, G. A, and Karimi, S. (2011). Biosynthesis of silver nanoparticles by fungus *Trichoderma reesei* (a route for large-scale production of AgNPs). *Insciences Journal* 1: 65-79.
31. Baruah, S. K, Pal, S. and Dutta, J. (2012). Nanostructured zinc oxide for water treatment. *Nanoscience Nanotechnology-Asia* 2, 90-102.

32. Elmi, F, Alinezhad, H, Moulana, Z, Salehian, F, Tavakkoli, S. M, Asgharpour, F, Fallah, H., and Elmi, M. M. (2014). The use of antibacterial activity of ZnO nanoparticles in the treatment of municipal wastewater. *Water Science and Technology* 70(5): 763-770.
33. Barhate, R. S. and Ramakrishna, S. (2007). Nanofibrous filtering media: filtration problems and solutions from tiny materials. *Journal of Membrane Science* 296: 1-8.
34. Bae, T.H., and Tak, T.M. 2005. Effect of TiO₂ nanoparticles on fouling mitigation of ultrafiltration membranes for activated sludge filtration. *Journal of Membrane Science* 249(1-2), 1-8.
35. Maximous, N, Nakhla, G, Wong, K., and Wan, W. (2010). Optimization of Al (2) O (3)/PES membranes for wastewater filtration. *Separation and Purification Technology* 73(2): 294- 301.
36. Bottino, A, Capannelli, G, D Asti, V., and Piaggio, P. (2001). Preparation and properties of novel organic-inorganic porous membranes. *Separation and Purification Technology* 22-23(1-3): 269-275.
37. Ebert, K, Fritsch, D, Koll, J, and Tjahjawiguna, C. (2004). Influence of inorganic fillers on the compaction behaviour of porous polymer based membranes. *Journal of Membrane Science* 233(1-2): 71-78.
38. Pendergast, M.T.M., Nygaard, J.M., Ghosh, A.K., and Hoek, E.M. V. (2010). Using nanocomposite materials technology to understand and control reverse osmosis membranecompaction. *Desalination* 261(3): 255-263.
39. Zodrow, K, Brunet, L, Mahendra, S, Li, D, Zhang, A, Li, Q.L, and Alvarez, P.J. J. (2009). Polysulfone ultrafiltration membranes impregnated with silver nanoparticles show improved biofouling resistance and virus removal. *Water Research* 43(3): 715- 723.
40. De Gussem, B, Hennebel, T, Christiaens, E., Saveyn, H, Verbeken, K, Fitts, J.P, Boon, ., and Verstraete, W. (2011). Virus disinfection in water by biogenic silver immobilized in polyvinylidene fluoride membranes. *Water Research* 45(4): 1856-1864.
41. Mauter, M.S, Wang, Y, Okemgbo, K.C, Osuji, C.O, Giannelis, E.P., and Elimelech, M. (2011). Antifouling ultrafiltration membranes via postfabrication grafting of biocidalnanomaterials. *ACS Applied Materials and Interfaces* 3(8): 2861- 2868.
42. Brady-Estevez, A.S, Kang, S, and Elimelech, M. (2008). A single- walled carbon-nanotube filter for removal of viral and bacterial pathogens. *Small* 4 (4): 481-484.
43. Ahmed, F, Santos, C.M, Vergara, R., Tria, M.C.R., Advincula, R., and Rodrigues, D.F. (2012). Antimicrobial applications of electroactive PVK-SWNT nanocomposites. *Environmental Science and Technology* 46(3), 1804-1810.
44. Majumder et al. 2011 Carbon Nanotube: Properties and Applications. Downloads/9788132220466-c2.pdf.
45. Choi, J.H, Jegal, J, and Kim, W.N. (2006b). Fabrication and characterization of multi-walled carbon nanotubes/polymer blend membranes. *Journal of Membrane Science* 284(1- 2): 406-415.
46. Choi, H, Stathatos, E, and Dionysiou, D.D. (2006a). Sol-gel preparation of mesoporous photocatalytic TiO₂ films and TiO₂/Al₂O₃ composite membranes for environmental applications. *Applied Catalysis B-Environmental* 63(1- 2): 60-67.
47. Wu, L. F, and Ritchie, S. M. C. (2008). Enhanced dechlorination of trichloroethylene by membrane- supported Pd-coated iron nanoparticles. *Environmental Progress* 27(2): 218- 224.
48. Xin, Z., Lu L. V, Bingcai, P., Weiming, Z., Shujuan, Z., and Quanxing Z. (2011). Polymer-supported nanocomposites for environmental application: A review. *Chemical Engineering Journal* 170(2 3): 381 394.
49. Shalini, C. A, Pragnesh, N, Dave, A, and Shah, N. K. (2012). Applications of nano-catalyst in new era. *Journal of Saudi Chemical Society* 16(3): 307 325.
50. Von Nussbaum, F. et al. (2006) Antibacterial natural products in medicinal chemistry – exodus or revival? *Angew. Chem. Int. Ed.* 45, 5072-5129
51. Khalil, A, Gondal, M.A, and Dastageer, M.A. (2011). Augmented photocatalytic activity of palladium incorporated ZnO nanoparticles in the disinfection of *Escherichia coli* microorganism from water. *Applied Catalysis A: General* 402(1 2): 162 167.
52. Omole, M. A, Owino I. K, and Omowunmi A, Sadik, (2009). Nanostructured Materials for Improving Water Quality: Potentials and Risks. In: *Nanotechnology Applications for Clean Water* (Eds.) N. Savage, M. Diallo, J. Duncan, A. Street and R. Sustich. William Andrew, Norwich NY. Pp. 233-247.
53. Vecitis, C.D, Zodrow, K.R., Kang, S, and Elimelech, M. (2010). Electronic- structure-dependent bacterial cytotoxicity of single-walled carbon nanotubes. *ACS Nano* 4(9): 5471- 5479.
54. Feng, Q.L, Wu, J, Chen, G.Q, Cui, F.Z., Kim, T.N., and Kim, J.O. (2000). A mechanistic study of the antibacterial effect of silver ions on *Escherichia coli* and *Staphylococcus aureus*. *Journal of Biomedical Materials Research* 52(4): 662-668.
55. Peter-Varbanets, M, Zurbrugg, Swartz, C., and Pronk, W. (2009). Decentralized systems for potable water and the potential of membrane technology. *Water Research* 43(2): 245-265.
56. Liao, S.Y, Read, D.C, Pugh, W.J, Furr, J.R., and Russell, A.D. (1997). Interaction of silver nitrate with readily identifiable groups: relationship to the antibacterial action of silver ions. *Letters in Applied Microbiology* 25(4): 279-283.
57. Rahaman, M.S, Vecitis, C.D, and Elimelech, M. (2012). Electrochemical carbon-nanotube filters performance toward virus removal and inactivation in the presence of natural organic matter. *Environmental Science and Technology* 46(3): 1556-1564.
58. Eby, D. M., Farrington, K. E., and Johnson, G. R. (2008). Synthesis of bioinorganic antimicrobial peptide nanoparticles with potential therapeutic properties. *Biomacromolecules* 9: 2487-2494.
59. Brogden, K. A. 2005. Antimicrobial peptides: pore formers or metabolic inhibitors in bacteria. *Nature Review in Microbiology* 3: 238 250.

60. B. Borrego, G. Lorenzo, J. D. Mota-Morales et al., "Potential application of silver nanoparticles to control the infectivity of Rift Valley fever virus in vitro and in vivo," *Nanomedicine: Nanotechnology, Biology and Medicine*, vol. 12, no. 5, pp. 1185– 1192, 2016.
61. Fortina, P., Kricka, L. J, Surrey, S., and Gordzinski, P. (2005). *Nanobiotechnology: The promise and reality of new approaches to molecular recognition*. *Trends in Biotechnology* 23: 168-173.
62. Rosi, N. L, and Mirkin, C. A.(2005). *Nanostructures in biodiagnostics*. *Chemical Review* 105: 1547-1562.
63. Samendra PS et al, (2014). *Rapid Detection Technologies for Monitoring Microorganisms in Water*. **Biosensors Journal**.
64. Theron, J, Cloete, T.E., and de Kwaadsteniet, M.(2010). *Current molecular and emerging nanobiotechnology approaches for the detection of microbial pathogens*. *Critical Reviews in Microbiology* 36(4): 318-339.
65. Vikesland, P.J., and Wigginton, K.R., (2010). *Nanomaterial enabled biosensors for pathogen monitoring e a review*. *Environmental Science and Technology* 44(10): 3656-3669.
66. Yan, J.L, Estevez, M.C, Smith, J.E., Wang, K.M., He, X.X., Wang, L., and Tan, W.H. (2007). *Dye-doped nanoparticles for bioanalysis*. *Nano Today* 2(3): 44- 50.
67. Sukhanova, A, Devy, M, Venteo, L., Kaplan, H., Artemyev, M., Oleinikov, V., Klinov, D., Pluot, M., Cohen, J.H.M., and Nabiev, I. (2004). *Biocompatible fluorescent nanocrystals for immunolabeling of membrane proteins and cells*. *Analytical Biochemistry* 324(1): 60- 67.
68. Petryayeva, E, and Krull, U. J. (2011). *Localized surface plasmon resonance: nanostructures, bioassays and biosensing e a review*. *AnalyticaChimicaActa* 706(1): 8-24.
69. McCreery, R.L, (2008). *Advanced carbon electrode materials for molecular electrochemistry*. *Chemical Reviews* 108(7): 2646-2687.
70. Yang, W.R, Ratinac, K.R, Ringer, S.P, Thordarson, P., Gooding, J.J, and Braet, F. (2010). *Carbon nanomaterials in biosensors: should you use nanotubes or graphene?* *AngewandteChemie-International Edition* 49(12): 2114-2138.
71. Heller, I, Janssens, A.M, Mannik, J, Minot, E.D, Lemay, S.G., and Dekker, C. (2008). *Identifying the mechanism of biosensing with carbon nanotube transistors*. *Nano Letters* 8(2): 591- 595.
72. Cloete, T.E, de Kwaadsteniet, M., Botes, M., and Lopez-Romero, J. M. (2010). *Nanotechnology in Water Treatment Applications*. *Caister Academic Press* 1Stedn.
73. Norfolk, UK. Collins, P.G., Bradley, K., Ishigami, M., and Zettl, A., 2000. *Extreme oxygen sensitivity of electronic properties of carbon nanotubes*. *Science* 287(5459): 1801-1804.
74. Fujishima and K. Honda, "Electrochemical photolysis of water at a semiconductor electrode," *Nature*, vol. 238, no. 5358, pp. 37–38, 1972.
75. A.Janotti and C. G. Van de Walle, "Fundamentals of zinc oxide as a semiconductor," *Reports on Progress in Physics*, vol. 72, no. 12, Article ID 126501, 2009
76. R. S. Kalhapure, S. J. Sonawane, D. R. Sikwal et al., "Solid lipid nanoparticles of clotrimazole silver complex: an efficient nano antibacterial against *Staphylococcus aureus* and MRSA," *Colloids and Surfaces B: Biointerfaces*, vol. 136, pp. 651–658, 2015.
77. C.Krishnaraj, R. Ramachandran, K. Mohan, and P. T. Kalaichelvan, "Optimization for rapid synthesis of silver nanoparticles and its effect on phytopathogenic fungi," *Spectrochimica Acta— Part A: Molecular and Biomolecular Spectroscopy*, vol. 93, pp. 95–99, 2012.
78. Zheng X, Su Y, and Chen Y.(2012). *Acute and Chronic Responses of Activated Sludge Viability and Performance to Silica Nanoparticles*. *Environ. Sci. Technol.*, 46: 7182-7188. [dx.doi.org/10.1021/es300777b](https://doi.org/10.1021/es300777b), 50: 350-358.
79. Hou, L.L, Li, K.Y, Ding, Y.Z, Li, Y, Chen, J, Wu, X.L, and Li, X.Q. (2012). *Removal of silver nanoparticles in simulated wastewater treatment processes and its impact on COD and NH₄ reduction*. *Chemosphere* 87(3): 248-252.
80. Chaúque et al, (2016). *Fate, behaviour, and implications of ZnO nanoparticles in a simulated waste water treatment plant* <http://dx.doi.org/10.4314/wsa.v42i1.09>.
81. Chen, Y., Su, Y, Zheng, X., Chen H., and Yang, H. (2012). *Alumina nanoparticles-induced effects on wastewater nitrogen and phosphorus removal after short-term and long-term exposure*. *water research* 46: 4379- 4386.
82. Choi, O, and Hu, Z.Q. (2008). *Size dependent and reactive oxygen species related nanosilver toxicity to nitrifying bacteria*. *Environmental Science and Technology* 42(12): 4583-4588.
83. Stark, W.J, Limbach, L.K, Bereiter, R., Mueller, E, Krebs, R., and Gaelli, R. (2008). *Removal of oxide nanoparticles in a model wastewater treatment plant: influence of agglomeration and surfactants on clearing efficiency*. *Environmental Science and Technology* 42(15): 5828-5833.
84. Benn, T.M, and Westerhoff, P.(2008). *Nanoparticle silver released into water from commercially available sock fabrics*. *Environmental Science and Technology* 42(11): 4133- 4139.
85. Blaser, S.A, Scheringer, M., MacLeod, M., and Hungerbuhler, K. (2008). *Estimation of cumulative aquatic exposure and risk due to silver: contribution of nano-functionalized plastics and textiles*. *Science Total Environment* 390(2): 396-409.
86. Gottschalk, F, Sonderer, T, Scholz, R.W., and Nowack, B. (2009). *Modeled environmental concentrations of engineered nanomaterials (TiO₂, ZnO, Ag, CNT, fullerenes) for different regions*. *Environmental Science and Technology* 43(24): 9216-9222.
87. Shafer, M.M, Overdier, J.T, and Armstrong, D. E. (2009). *Removal, partitioning, and fate of silver and other metals in wastewater treatment plants and effluent-receiving streams*. *Environmental Toxicologyand Chemistry* 17(4): 630-641.

88. Kiser, M. A, Westerhoff, P., Benn, T., Wang, Y, Perez-Rivera, J., and Hristovski, K. (2009). Titanium nanomaterial removal and release from wastewater treatment plants. *Environmental Science and Technology* 43(17): 6757-6763.
89. Das, P, Xenopoulos, M. A., Williams, C. J, Hoque, M. E., and Metcalfe, C. D. (2012). Effects of Silver Nanoparticles on Bacterial Activity in Natural Waters. *Environmental Toxicology and Chemistry* 31(1): 122-130.
90. Zhang, C, Liang, Z, and Hu, Z. (2014). Bacterial response to a continuous long-term exposure of silver nanoparticles at sub-ppm silver concentrations in a membrane bioreactor activated sludge system. *Water Research* 50: 350-358.
91. Musee, N, Thwalaa, M, and Nota, N. (2011). The antibacterial effects of engineered nanomaterials: implications for wastewater treatment plants. *Journal of Environmental Monitoring* 5(13): 1164-1183.
92. Fabrega, J, Fawcett, S. R, Renshaw, J. ., and Lead, J. R. (2009). Silver nanoparticle impact on bacterial growth: effect of pH, concentration, and organic matter. *Environmental Science and Technology* 43: 7285-7290.
93. Chen, Y, Wang, D, Zhu, X., Zheng, X., and Feng, L. (2012). Long-term effects of copper nanoparticles on wastewater biological nutrient removal and N₂O generation in the activated sludge process. *Environmental Science and Technology* 46(22): 12452-12458.
94. Chen, Y. Mu H., and Zheng X. (2014). Chronic Response of Waste Activated Sludge Fermentation to Titanium Dioxide Nanoparticles. *Chinese Journal of Chemical Engineering* 22: 1162-1167.
95. UN WWAP, (2003). United Nations World Water Assessment Programme. The World Water Development Report 1: Water for People, Water for Life. UNESCO: Paris, France.
96. H. K. Shon et al, Nanofiltration for water and wastewater treatment – a mini review (2013). *Drink. Water Eng. Sci.*, 6, 47-53, 2013 www.drink-water-eng-sci.net/6/47/2013/ doi:10.5194/dwes-6-47-2013.

CITE THIS ARTICLE

S Kumar, R.K. Srivastva, Rajkumar Pandey, Roshan Jadhav, Anil Kumar: Technological Intervention in Waste-Water Treatment by Using Nanomaterials . *Res. J. Chem. Env. Sci.* Vol 5 [4] August 2017. 120-129